

Boat Trailers

SERIES (Color Codes)	Trailer Model	Tongue Length	Painted Retail \$Price	Galv. Retail \$Price	Hull Length	Transom to Bow Eye Length	Carrying Capacity	Tire Size	Std. Axle Brakes	Frame Width	Width Between Fenders
TADPUL (03, 33)	SLB7	Short	711	801	12' - 14'	14'	700 LB.	4.80X12-B	No	44"	46"
		Long	717	811	14' - 16'	16'	700 LB.	4.80X12-B	No	44"	46"
FISH SERIES (03, 33)	SLB10	Short	786	910	10' 11" - 12' 8"	12' 8"	1200 LB.	4.80X12-B	No	44"	46"
		Medium	789	913	12' 5" - 14' 5"	14' 2"	1200 LB.	4.80X12-B	No	44"	46"
		Long	791	917	13' 11" - 15' 11"	15' 8"	1200 LB.	4.80X12-B	No	44"	46"
	SLR10	Short	979	1089	10' 11" - 12' 8"	12' 8"	1200 LB.	4.80X12-B	No	44"	46"
		Medium	981	1091	12' 5" - 14' 5"	14' 2"	1200 LB.	4.80X12-B	No	44"	46"
		Long	984	1094	13' 11" - 15' 11"	15' 8"	1200 LB.	4.80X12-B	No	44"	46"
	SLB12	Short	1033	1240	11' 11" - 14' 5"	13' 11"	1200 LB.	4.80X12-B	No	56"	58"
		Medium	1036	1243	13' 5" - 15' 11"	15' 5"	1200 LB.	4.80X12-B	No	56"	58"
		Long	1041	1247	14' 11" - 17' 5"	16' 11"	1200 LB.	4.80X12-B	No	56"	58"
	SLR12	Short	1153	1346	11' 11" - 14' 5"	13' 11"	1200 LB.	4.80X12-B	No	56"	58"
		Medium	1156	1349	13' 5" - 15' 11"	15' 5"	1200 LB.	4.80X12-B	No	56"	58"
		Long	1160	1351	14' 11" - 17' 5"	16' 11"	1200 LB.	4.80X12-B	No	56"	58"
	SLB14	Short	1066	1266	11' 11" - 14' 5"	13' 11"	1400 LB.	5.30X12-C	No	56"	58"
		Medium	1069	1270	13' 5" - 15' 11"	15' 5"	1400 LB.	5.30X12-C	No	56"	58"
		Long	1071	1273	14' 11" - 17' 5"	16' 11"	1400 LB.	5.30X12-C	No	56"	58"
SLR14	Short	1186	1371	11' 11" - 14' 5"	13' 11"	1400 LB.	5.30X12-C	No	56"	58"	
	Medium	1189	1374	13' 5" - 15' 11"	15' 5"	1400 LB.	5.30X12-C	No	56"	58"	
	Long	1191	1379	14' 11" - 17' 5"	16' 11"	1400 LB.	5.30X12-C	No	56"	58"	
1.5X3 FRAME (03, 33)	SLV15		1309	1506	14' - 15' 6"	15'	1500 LB.	5.30X12-C	No	64"	66"
	SLR15		1483	1721	14' - 16'	15' 8"	1500 LB.	5.30X12-C	No	64"	66"
2X3N FRAME (03, 33)	SLV18LN		1799	2107	16' - 17' 4"	16' 1"	1800 LB.	ST175/80R13-C	No	64"	68"
	SLB18LN		1947	2279	16' - 18'	16' 9"	1800 LB.	ST175/80R13-C	No	64"	68"
	SLR18LN		2123	2473	16' - 18'	16' 9"	1800 LB.	ST175/80R13-C	No	64"	68"
2X3 FRAME (03, 33)	SLV22S		1804	2110	14' - 15'	14' 8"	2200 LB.	ST185/80R13-C	No	70"	74"
	SLV22L		1819	2126	16' - 17'	16' 9"	2200 LB.	ST185/80R13-C	No	70"	74"
	SLB22L		1967	2294	16' - 18'	16' 9"	2200 LB.	ST185/80R13-C	No	70"	74"
	SLR22S		2134	2481	14' - 16'	15' 4"	2200 LB.	ST185/80R13-C	No	70"	74"
	SLR22L		2140	2491	16' - 18'	16' 9"	2200 LB.	ST185/80R13-C	No	70"	74"
2X3W FRAME (03, 33)	SLV22LW		1880	2183	16' - 17'	16' 9"	2200 LB.	ST185/80R13-C	No	80"	84.5"
	SLB22LW		2029	2356	16' - 18'	16' 9"	2200 LB.	ST185/80R13-C	No	80"	84.5"
	SLR22LW		2204	2551	16' - 18'	16' 9"	2200 LB.	ST185/80R13-C	No	80"	84.5"

Boat Trailers

	Trailer Model	Painted Retail \$Price	Galv. Retail \$Price	Hull Length	Transom to Bow Eye Length	Carrying Capacity	Tire Size	Std. Axle Brakes	Frame Width	Width Between Fenders
2X4 FRAME (01, 03, 00)	SLV2314S	2209	2537	17' - 18'	16' 4"	2300 LB.	ST215/75R14-C	No	74.5"	78.5"
	SLV2314L	2231	2561	18' - 19'	17' 4"	2300 LB.	ST215/75R14-C	No	74.5"	78.5"
	SLB2314S	2296	2660	17' - 19'	17' 4"	2300 LB.	ST215/75R14-C	No	74.5"	78.5"
	SLB2314L	2317	2683	18' - 20'	18' 4"	2300 LB.	ST215/75R14-C	No	74.5"	78.5"
	SLR2314S	2739	3136	17' - 19'	17' 4"	2300 LB.	ST215/75R14-C	No	74.5"	78.5"
	SLR2314L	2760	3161	18' - 20'	18' 4"	2300 LB.	ST215/75R14-C	No	74.5"	78.5"
	SLXR2314S	2794	3193	17' - 19'	17' 4"	2300 LB.	ST215/75R14-C	No	74.5"	78.5"
	SLXR2314L	2813	3216	18' - 20'	18' 4"	2300 LB.	ST215/75R14-C	No	74.5"	78.5"
	SLRB2314S	2477	2860	17' - 19'	17' 4"	2300 LB.	ST215/75R14-C	No	74.5"	78.5"
SLRB2314L	2501	2880	18' - 20'	18' 4"	2300 LB.	ST215/75R14-C	No	74.5"	78.5"	
2X4 FRAME (01, 03, 00)	SLV30BS	2934	3266	17' - 18'	16' 4"	3000 LB.	ST215/75R14-C	Yes	74.5"	78.5"
	SLV30BL	2954	3286	18' - 19'	17' 4"	3000 LB.	ST215/75R14-C	Yes	74.5"	78.5"
	SLB30BS	3021	3384	17' - 19'	17' 4"	3000 LB.	ST215/75R14-C	Yes	74.5"	78.5"
	SLB30BL	3043	3407	18' - 20'	18' 4"	3000 LB.	ST215/75R14-C	Yes	74.5"	78.5"
	SLR30BS	3464	3864	17' - 19'	17' 4"	3000 LB.	ST215/75R14-C	Yes	74.5"	78.5"
	SLR30BL	3484	3884	18' - 20'	18' 4"	3000 LB.	ST215/75R14-C	Yes	74.5"	78.5"
	SLXR30BS	3519	3917	17' - 19'	17' 4"	3000 LB.	ST215/75R14-C	Yes	74.5"	78.5"
	SLXR30BL	3540	3941	18' - 20'	18' 4"	3000 LB.	ST215/75R14-C	Yes	74.5"	78.5"
	SLRB30BS	3203	3581	17' - 19'	17' 4"	3000 LB.	ST215/75R14-C	Yes	74.5"	78.5"
SLRB30BL	3227	3609	18' - 20'	18' 4"	3000 LB.	ST215/75R14-C	Yes	74.5"	78.5"	
INBOARD (03, 00)	SLIB33B	3693	4237	20' - 21'	19' 4"	3300 LB.	ST205/75R15-D	Yes	74.5"	78.5"
	SLIB40TB	4577	4976	20' - 21'	19' 4"	4000 LB.	ST215/75R14-C	Yes(1)	74.5"	78.5"
	SLIB40TBB	4853	5249	20' - 21'	19' 4"	4000 LB.	ST215/75R14-C	Yes(2)	74.5"	78.5"
	SLIB55TBBL	5240	6109	21' - 24'	22' 1"	5500 LB.	ST215/75R14-C	Yes(2)	80.5"	84.5"

Boat Trailers

	Trailer Model	Painter Retail \$Price	Galv Retail \$Price	Hull Length	Transom to Bow Eye Length	Carrying Capacity	Tire Size	Std. Axle Brakes	Frame Width	Width Between Fenders
2X4W	SLV2314SW	2223	2554	17' - 18'	16' 4"	2300 LB.	ST215/75R14-C	No	80.5"	84.5"
FRAME	SLV2314LW	2244	2574	18' - 19'	17' 4"	2300 LB.	ST215/75R14-C	No	80.5"	84.5"
(01, 03, 00)	SLB2314SW	2310	2673	17' - 19'	17' 4"	2300 LB.	ST215/75R14-C	No	80.5"	84.5"
	SLB2314LW	2331	2699	18' - 20'	18' 4"	2300 LB.	ST215/75R14-C	No	80.5"	84.5"
	SLR2314SW	2754	3151	17' - 19'	17' 4"	2300 LB.	ST215/75R14-C	No	80.5"	84.5"
	SLR2314LW	2773	3176	18' - 20'	18' 4"	2300 LB.	ST215/75R14-C	No	80.5"	84.5"
	SLXR2314SW	2807	3209	17' - 19'	17' 4"	2300 LB.	ST215/75R14-C	No	80.5"	84.5"
	SLXR2314LW	2831	3230	18' - 20'	18' 4"	2300 LB.	ST215/75R14-C	No	80.5"	84.5"
	SLRB2314SW	2496	2873	17' - 19'	17' 4"	2300 LB.	ST215/75R14-C	No	80.5"	84.5"
	SLRB2314LW	2517	2897	18' - 20'	18' 4"	2300 LB.	ST215/75R14-C	No	80.5"	84.5"
	SLV30BSW	2947	3280	17' - 18'	16' 4"	3000 LB.	ST215/75R14-C	Yes	80.5"	84.5"
	SLV30BLW	2971	3303	18' - 19'	17' 4"	3000 LB.	ST215/75R14-C	Yes	80.5"	84.5"
	SLB30BSW	3036	3397	17' - 19'	17' 4"	3000 LB.	ST215/75R14-C	Yes	80.5"	84.5"
	SLB30BLW	3059	3424	18' - 20'	18' 4"	3000 LB.	ST215/75R14-C	Yes	80.5"	84.5"
	SLB30BXLW	3097	3461	19' - 20'	18' 4"	3000 LB.	ST215/75R14-C	Yes	80.5"	84.5"
	SLR30BSW	3477	3877	17' - 19'	17' 4"	3000 LB.	ST215/75R14-C	Yes	80.5"	84.5"
	SLR30BLW	3501	3897	18' - 20'	18' 4"	3000 LB.	ST215/75R14-C	Yes	80.5"	84.5"
	SLR30BXLW	3536	3939	19' - 20'	18' 4"	3000 LB.	ST215/75R14-C	Yes	80.5"	84.5"
	SLXR30BSW	3533	3934	17' - 19'	17' 4"	3000 LB.	ST215/75R14-C	Yes	80.5"	84.5"
	SLXR30BLW	3556	3953	18' - 20'	18' 4"	3000 LB.	ST215/75R14-C	Yes	80.5"	84.5"
	SLXR30BXLW	3591	3993	19' - 20'	18' 4"	3000 LB.	ST215/75R14-C	Yes	80.5"	84.5"
	SLRB30BSW	3220	3597	17' - 19'	17' 4"	3000 LB.	ST215/75R14-C	Yes	80.5"	84.5"
	SLRB30BLW	3241	3620	18' - 20'	18' 4"	3000 LB.	ST215/75R14-C	Yes	80.5"	84.5"
	SLRB30BXLW	3277	3656	19' - 20'	18' 4"	3000 LB.	ST215/75R14-C	Yes	80.5"	84.5"
	SLB34BLW	3491	3850	18' - 20'	18' 4"	3400 LB.	ST205/75R15-D	Yes	80.5"	84.5"
	SLB34BXLW	3529	3887	19' - 20'	18' 4"	3400 LB.	ST205/75R15-D	Yes	80.5"	84.5"
	SLR34BLW	3934	4330	18' - 20'	18' 4"	3500 LB.	ST205/75R15-D	Yes	80.5"	84.5"
	SLR34BXLW	3971	4367	19' - 20'	18' 4"	3500 LB.	ST205/75R15-D	Yes	80.5"	84.5"
	SLXR34BLW	3991	4391	18' - 20'	18' 4"	3500 LB.	ST205/75R15-D	Yes	80.5"	84.5"
	SLXR34BXLW	4027	4424	19' - 20'	18' 4"	3500 LB.	ST205/75R15-D	Yes	80.5"	84.5"
	SLRB34BLW	3676	4051	18' - 20'	18' 4"	3400 LB.	ST205/75R15-D	Yes	80.5"	84.5"
	SLRB34BXLW	3713	4087	19' - 20'	18' 4"	3400 LB.	ST205/75R15-D	Yes	80.5"	84.5"

Boat Trailers

		Painted	Galv		Transom to			Std.		Width
Trailer Model		Retail \$Price	Retail \$Price	Hull Length	Bow Eye Length	Carrying Capacity	Tire Size	Axle Brakes	Frame Width	Between Fenders
2X4W	SLB40TBLW	3824	4283	18' - 20'	18' 4"	4000 LB.	ST175/80R13-C	Yes(1)	80.5"	84.5"
FRAME (01, 03, 00)	SLB40TBBLW	4237	4700	18' - 20'	18' 4"	4000 LB.	ST175/80R13-C	Yes(2)	80.5"	84.5"
	SLB40TBXLW	3861	4323	19' - 20'	18' 4"	4000 LB.	ST175/80R13-C	Yes(1)	80.5"	84.5"
	SLB40TBBXLW	4276	4740	19' - 20'	18' 4"	4000 LB.	ST175/80R13-C	Yes(2)	80.5"	84.5"
	SLR40TBLW	4580	5077	18' - 20'	18' 4"	4000 LB.	ST175/80R13-C	Yes(1)	80.5"	84.5"
	SLR40TBBLW	5000	5496	18' - 20'	18' 4"	4000 LB.	ST175/80R13-C	Yes(2)	80.5"	84.5"
	SLR40TBXLW	4617	5114	19' - 20'	18' 4"	4000 LB.	ST175/80R13-C	Yes(1)	80.5"	84.5"
	SLR40TBBXLW	5036	5531	19' - 20'	18' 4"	4000 LB.	ST175/80R13-C	Yes(2)	80.5"	84.5"
	SLXR40TBLW	4640	5136	18' - 20'	18' 4"	4000 LB.	ST175/80R13-C	Yes(1)	80.5"	84.5"
	SLXR40TBBLW	5053	5551	18' - 20'	18' 4"	4000 LB.	ST175/80R13-C	Yes(2)	80.5"	84.5"
	SLXR40TBXLW	4676	5173	19' - 20'	18' 4"	4000 LB.	ST175/80R13-C	Yes(1)	80.5"	84.5"
	SLXR40TBBXLW	5094	5587	19' - 20'	18' 4"	4000 LB.	ST175/80R13-C	Yes(2)	80.5"	84.5"
	SLRB40TBLW	4093	4573	18' - 20'	18' 4"	4000 LB.	ST175/80R13-C	Yes(1)	80.5"	84.5"
	SLRB40TBBLW	4509	4986	18' - 20'	18' 4"	4000 LB.	ST175/80R13-C	Yes(2)	80.5"	84.5"
	SLRB40TBXLW	4131	4609	19' - 20'	18' 4"	4000 LB.	ST175/80R13-C	Yes(1)	80.5"	84.5"
	SLRB40TBBXLW	4546	5019	19' - 20'	18' 4"	4000 LB.	ST175/80R13-C	Yes(2)	80.5"	84.5"
	SLB40TCBLW	4430	4891	18' - 20'	18' 4"	4000 LB.	ST215/75R14-C	Yes(1)	80.5"	84.5"
	SLB40TCBBLW	4846	5307	18' - 20'	18' 4"	4000 LB.	ST215/75R14-C	Yes(2)	80.5"	84.5"
	SLB40TCBXLW	4467	4930	19' - 20'	18' 4"	4000 LB.	ST215/75R14-C	Yes(1)	80.5"	84.5"
	SLB40TCBBXLW	4883	5346	19' - 20'	18' 4"	4000 LB.	ST215/75R14-C	Yes(2)	80.5"	84.5"
	SLR40TCBLW	5189	5687	18' - 20'	18' 4"	4000 LB.	ST215/75R14-C	Yes(1)	80.5"	84.5"
	SLR40TCBBLW	5601	6100	18' - 20'	18' 4"	4000 LB.	ST215/75R14-C	Yes(2)	80.5"	84.5"
	SLR40TCBXLW	5226	5726	19' - 20'	18' 4"	4000 LB.	ST215/75R14-C	Yes(1)	80.5"	84.5"
	SLR40TCBBXLW	5643	6139	19' - 20'	18' 4"	4000 LB.	ST215/75R14-C	Yes(2)	80.5"	84.5"
	SLXR40TCBLW	5246	5743	18' - 20'	18' 4"	4000 LB.	ST215/75R14-C	Yes(1)	80.5"	84.5"
	SLXR40TCBBLW	5660	6163	18' - 20'	18' 4"	4000 LB.	ST215/75R14-C	Yes(2)	80.5"	84.5"
	SLXR40TCBXLW	5284	5780	19' - 20'	18' 4"	4000 LB.	ST215/75R14-C	Yes(1)	80.5"	84.5"
	SLXR40TCBBXLW	5696	6196	19' - 20'	18' 4"	4000 LB.	ST215/75R14-C	Yes(2)	80.5"	84.5"
	SLRB40TCBLW	4699	5180	18' - 20'	18' 4"	4000 LB.	ST215/75R14-C	Yes(1)	80.5"	84.5"
	SLRB40TCBBLW	5114	5594	18' - 20'	18' 4"	4000 LB.	ST215/75R14-C	Yes(2)	80.5"	84.5"
	SLRB40TCBXLW	4736	5216	19' - 20'	18' 4"	4000 LB.	ST215/75R14-C	Yes(1)	80.5"	84.5"
SLRB40TCBBXLW	5151	5630	19' - 20'	18' 4"	4000 LB.	ST215/75R14-C	Yes(2)	80.5"	84.5"	

Boat Trailers

	Trailer Model	Painted Retail \$Price	Galv Retail \$Price	Hull Length	Transom to Bow Eye Length	Carrying Capacity	Tire Size	Std. Axle Brakes	Frame Width	Width Between Fenders
2X5 FRAME (01, 03, 00)	SLB46TBS	3996	4606	19' - 23'	21' 8"	4600 LB.	ST185/80R13-C	Yes(1)	80.5"	84.5"
	SLB46TBBS	4411	5024	19' - 23'	21' 8"	4600 LB.	ST185/80R13-C	Yes(2)	80.5"	84.5"
	SLB46TBL	4057	4690	20' - 24'	23' 2"	4600 LB.	ST185/80R13-C	Yes(1)	80.5"	84.5"
	SLB46TBBL	4476	5109	20' - 24'	23' 2"	4600 LB.	ST185/80R13-C	Yes(2)	80.5"	84.5"
	SLR46TBS	4711	5399	19' - 23'	21' 8"	4600 LB.	ST185/80R13-C	Yes(1)	80.5"	84.5"
	SLR46TBBS	5129	5817	19' - 23'	21' 8"	4600 LB.	ST185/80R13-C	Yes(2)	80.5"	84.5"
	SLR46TBL	4773	5480	20' - 24'	23' 2"	4600 LB.	ST185/80R13-C	Yes(1)	80.5"	84.5"
	SLR46TBBL	5191	5900	20' - 24'	23' 2"	4600 LB.	ST185/80R13-C	Yes(2)	80.5"	84.5"
	SLRB46TBS	4279	4927	19' - 23'	21' 8"	4600 LB.	ST185/80R13-C	Yes(1)	80.5"	84.5"
	SLRB46TBBS	4699	5346	19' - 23'	21' 8"	4600 LB.	ST185/80R13-C	Yes(2)	80.5"	84.5"
	SLRB46TBL	4343	5013	20' - 24'	23' 7"	4600 LB.	ST185/80R13-C	Yes(1)	80.5"	84.5"
	SLRB46TBBL	4759	5431	20' - 24'	23' 7"	4600 LB.	ST185/80R13-C	Yes(2)	80.5"	84.5"
	SLB50TCBS	4589	5217	19' - 23'	21' 8"	5000 LB.	ST215/75R14-C	Yes(1)	80.5"	84.5"
	SLB50TCBL	4649	5299	20' - 24'	23' 2"	5000 LB.	ST215/75R14-C	Yes(1)	80.5"	84.5"
	SLR50TCBS	5297	6010	19' - 23'	21' 8"	5000 LB.	ST215/75R14-C	Yes(1)	80.5"	84.5"
	SLR50TCBL	5359	6094	20' - 24'	23' 2"	5000 LB.	ST215/75R14-C	Yes(1)	80.5"	84.5"
	SLRB50TCBS	4871	5540	19' - 23'	21' 8"	5000 LB.	ST215/75R14-C	Yes(1)	80.5"	84.5"
	SLRB50TCBL	4934	5623	20' - 24'	23' 7"	5000 LB.	ST215/75R14-C	Yes(1)	80.5"	84.5"
	SLB55TCBBS	5010	5641	19' - 23'	21' 8"	5500 LB.	ST215/75R14-C	Yes(2)	80.5"	84.5"
	SLR55TCBBS	5723	6433	19' - 23'	21' 8"	5500 LB.	ST215/75R14-C	Yes(2)	80.5"	84.5"
SLRB55TCBBS	5304	5961	19' - 23'	21' 8"	5500 LB.	ST215/75R14-C	Yes(2)	80.5"	84.5"	
SLB55TCBBL	5071	5726	20' - 24'	22' 8"	5500 LB.	ST215/75R14-C	Yes(2)	80.5"	84.5"	
SLR55TCBBL	5783	6513	20' - 24'	22' 8"	5500 LB.	ST215/75R14-C	Yes(2)	80.5"	84.5"	
SLRB55TCBBL	5356	6044	20' - 24'	22' 8"	5500 LB.	ST215/75R14-C	Yes(2)	80.5"	84.5"	
3X5 FRAME (01, 03, 33)	SLB58TCBB	6586	7421	22' - 25'	23' 5"	5800 LB.	ST215/75R14-C	Yes(2)	78"	84.5"
	SLR58TCBB	7027	7979	22' - 25'	23' 5"	5800 LB.	ST215/75R14-C	Yes(2)	78"	84.5"
	SLB68TCBB	8001	8896	22' - 25'	23' 5"	6800 LB.	ST205/75R15-D	Yes(2)	78"	84.5"
	SLR68TCBB	8441	9451	22" - 25'	23' 5"	6800 LB.	ST205/75R15-D	Yes(2)	78"	84.5"
	SLB80TBBL	7954	8886	24' - 27'	24' 7"	8000 LB.	ST225/75R15-D	Yes(2)	78"	84.5"
	SLR80TBBL	8601	9921	24' - 27'	24' 7"	8000 LB.	ST225/75R15-D	Yes(2)	78"	84.5"

Bearing protectors (bras) are standard on 1200 lb. boat trailers and larger.
All 13", 14" and 15" wheels are directional style in silver e-coat or galvanized.

Color Codes: **01 - White** **00 - Galvanized w/white fenders**
03 - Black **33 - Galvanized w/black fenders**

Model Number Code Letters:

W-Wide frame in series **N**-Narrow frame in series

T-Tandem **A**-Alternate tire **B or BB** - Brakes (1 or 2 axle)


V-V-bunk **B**-Bunk **R**-Roller **XR**-Extra Roller **RB**-Roller Bunk

S-Short frame **L**-Long frame **XL**-Extra Long frame

Boat Trailers

PROFILE 2000 WINCH POST SPECIFICATION GUIDELINES.

If (A) dimension is 12"-24", use part number TA0993-__, 7-1/2" winch base on all 2 x 4" and 2 x 5" frames.
 If (A) dimension is 14"-26", use part number TA0991-__, 9" winch base on all 2 x 4" and 2 x 5" frames.
 If (A) dimension is 19"-33", use part number TA0992-__, 14" winch base on all 2 x 4" and 2 x 5" frames.



PROFILE 2000 WINCH POST BASES

*Winch post bases are available in three sizes to custom fit the winch post to the various heights of bow eyes (A).
 Please refer to boweye height reference drawing above. Place order by the appropriate part number below.*

TA0993-__	47	66	7-1/2" Profile 2000 winch post base
TA0991-__	47	66	9" Profile 2000 winch post base
TA0992-__	47	66	14" Profile 2000 winch post base

"SP" WINCH POST ASSEMBLIES

64332-__	247	289	34" standard style winch post assembly without 1800 lb. winch.
64333-__	259	300	42" standard style winch post assembly without 1800 lb. winch.
TA0098-__	374	386	34" "SP" winch post assembly with 1800 lb. winch.
TA0099-__	374	386	42" "SP" winch post assembly with 1800 lb. winch.
TA0209-__	409	461	52" "SP" winch post assembly with 2500 lb. winch.
TA0198-__	80	130	52" "SP" winch post only - NO Winch or Winch Holder Channel
TA0210-__	426	477	60" "SP" winch post assembly with 2500 lb. winch.
TA0023-__	109	160	60" "SP" winch post only - NO Winch or Winch Holder Channel

JACK

3310053	11		Jack mounting hardware with bolts & strap for 800 and 1250 lb. jacks
3310050	49		1000 lb. swivel jack w/wheel. Use for trailers up to 5500# capacity.
3310052	80		1250 lb. swivel jack w/pad. Use for trailers from 5800# to 8300# capacity.
6094610	14		Embossed base jack hardware bag

JON BOAT KIT

SSC60		36	Jon boat bow support.
TA0010		33	Bow pad support for fishing series trailers.
SS1031		43	Jon boat bow stop with solid rubber bow stop and attaching hardware.

HUB AND BEARING KITS

SS818	59		1-1/16" X 1-1/16" hub and bearing for fishing and 2 x 3" frame series.
SS733	80		1-1/4" X 3/4" hub and bearing kit.
SS734	76		1-3/8" X 1-1/16" hub and bearing for 2 x 4" frame series and larger.
2500038	3		Calcium Sulfonate Grease in 14 oz. Tubes

Boat Trailers

BEARING PROTECTORS				
	TA0006	41		Bearing protector 1 1/4 outer 2.328
	TA0007	27		Bearing protector S.S. 1.980
BRAKES				
	TA1188	489		Second Axle Disc brake kit w/ Hose for 2X4 & 2x5 (74" & 80" wide). Fully Grounded ; No axle.
	SS1189	926		Single Axle Disc Brake Kit with Axle for 2X3 (70" wide). Fully Grounded with Brake Hose.
	TA0001-__	1121	1167	Single Axle Disc Brake Kit with Axle for 2x3 (64" wide). Fully Grounded with Brake Hose.
	TA0015	1876		Electric-over-Hydraulic Brake Kit with Controller for 5500# thru 8000# trailers.
	TA0016	1654		Electric-over-Hydraulic Brake Kit with Controller for 3000# thru 4600# trailers.
	TA0118	879		Single Axle Disc Brake Kit w/Hose for 2x3 & 2x4 (70,74 & 80 wide). Fully Grounded ; No Axle
	TA0062-00		1071	Single Axle Drum Brake Kit with Axle for Fish 12/14 (56" wide). Brake Hose.
	TA0063-00		1113	Single Axle Drum Brake Kit with Axle for 1500# Trailers (64" wide). Brake Hose.
	TA0125	1		Brake hose axle retainer clamp
	TA0123	9		Jumper wire ground solenoid kit
	SS1037	109		Brake Hose Kit for Swing Tongue.
	SS1101	47		Single axle brake flush kit including hardware for complete installation.
	SS1102	47		Second axle brake flush kit including hardware for complete installation.
SPARE TIRE BRACKET				
	TA0026-__	73	73	Vertical mount, 6-bolt pattern spare tire bracket for 2X4 & 3X5 side frames (galv. only).
	TA0028-__	61	61	Vertical mount, 5-bolt pattern spare tire bracket for 2X4 & 2X5 side frames (all colors).
	TA0037-__	57	57	Horizontal top mount, 5-bolt pattern spare tire bracket for 3X3 & 3X5 tongues (black and galv.).
	TA1038-__	57	61	Vertical mount, 5-bolt pattern spare tire bracket for 1X3 & 2X3 side frames (black, white , and galv.).
	TA1041-00		73	Vertical mount, 5-bolt pattern spare tire bracket for 3X3, 3X4, & 3X5 tongues (galv. only).
	TA1042-00		69	Vertical mount, 6-bolt pattern spare tire bracket for 3X5 tongues (galv. only).
RETRACTABLE TIE DOWN				
	TA0120	94		Retractable tie-down kit, 1 pair
FRONT KEEL ROLLER KIT				
	SS999	69	73	1 pr. 8" nylon bushing keel rollers with hardware to adapt front crossmember on all 2 x 3" model roller trailers. Replaces the front keel support pad. Recommended for fiberglass boats.
	64925__	163	181	Complete keel roller cradle assembly for all 2 x 3 roller models. Specify painted color.
LOAD GUIDES				
	SS897	70	80	Roller load guides. Fits 1-1/2 X3.
	SS898	123	147	Bunk load guides. Fits 1-1/2 X 3. Length 66". Adjusts to frame width plus 14".
	SS936	113	124	Bunk load guides. Fits 1-1/2 X 3 & 2 X 3. Length 30". Adjusts to frame width plus 9".
	SS1025	301	326	Bunk load guides. Fits 2 X 4 & 2 X 5. Length 96". Adjusts to frame width plus 16".
	TA0124-__	127	143	Bunk load guides. Fits 2 X 4 & 2 X 5. Length 24". Adjusts to frame width plus 14".
	SS937	149		Post load guides. Fits 1-1/2 X 3 & 2 X 3. Mounts on side frame.
	TA1032-__	216	246	Post load guides (spring loaded). Fits 2 X 4 & 2 X 5. Mounts on cross member.

Boat Trailers

Boat Trailers				
TONGUE ROLLER				
	SS801		37	5" keel roller assembly. (T-149)
TRANSOM SAVERS (1992 AND NEWER MODELS)				
	6133400		77	Adjustable transom saver (26"-38" length) with attaching bracket for 3x3 and 2X3 crossmembers.
	6133300		77	Adjustable transom saver (45"-57" length) with attaching bracket for 3x3 and 2X3 crossmembers.
OPTIONAL ROLLER OR BUNK ASSEMBLIES				
	SS912	337	347	One pair of front roller arm assemblies for 4" frames.
	SS913	463	520	One pair of front roller arm assemblies for 5" frames.
	TA0003-__	359	400	XR rollerarm assembly, 4- 6" holy roller (2 sets) with crossmember pad assembly.
	TA0004-__	267	316	XR rollerarm assembly, 4- 5" roller (2 sets) with crossmember pad assembly.
	TA0078-__	493	550	XR rollerarm assembly, 8- 5" roller (2 sets) with crossmember pad assembly.
	TA0082-__	651	706	XR rollerarm assembly, 8- 6" roller (2 sets) with crossmember pad assembly.
	TA0011-__	43	46	8" keel roller bracket assy. Mounts on middle cross channel on the SLB10 models. Hdw included.
	SS959	47		Centering bunk kit for 2X5 frame group.
	SS1165(G)	274	346	Rear bunk kit for 2X5 frame group.
	SS1065		47	Rollerarm spacer plate kit, for 2X3 frame group.
RISER KITS				
	SS1043		21	1 pr. 3" bunk risers w/ hdwe extends front bunk by 3". For all 2 x 4" V frames
	SSG2RR		54	2" rear riser kit for 5" bunk frames
	SSG2RR 2X5		61	2" rear riser kit for 5" roller frames.
	SSG3RR		89	3" rear riser kit for 5" bunk frames
	SSG3RR 2X5		93	3" rear riser kit for 5" roller frames.
	SS1000		24	Adjustable 1"-2" rear riser kit for all B&R18 through B&R40TBLW models.
	SS1003		30	Keel guide roller riser kit for 2300# - 3000# models. For old style crossmember protectors, SA-3305.
	SS1403		13	Front keel cradle riser kit for 2,300 - 3,100 lb. roller models. Used for new style cross pads, 66047.
FRAME RISER KITS				
	TA0184	374	273	One pair 2" risers for all3x5 frame trailers.
	SS943	77	96	One pair 2" risers for all 2" x 3" frame trailers with12" tires.
	SS944	106	116	One pair 2" risers for all 2" x 3" frame trailers with 13" tires and all 2" x 4" frame trailers.
	SS945	137	151	One pair 2" frame risers for tandem axle with 13" wheels. 2x4 & 2x5
	SS961	137	174	One pair 2" frame risers for tandem axle with 14" wheels. 2x4 & 2x5
SWING TONGUE for Fishing Series Trailers		DESCRIPTION		
	TA0056	106	136	3" X 3" X 84" (7') swing tongue for Fishing Series trailers
	TA0057	126	151	3" X 3" X 102" (8' 6") swing tongue for Fishing Series trailers
	TA0058	141	170	3" X 3" X 120" (10') swing tongue for Fishing Series trailers
	TA0166	189	250	3" X 3" X 132" (11') swing tongue for Fishing Series trailers
LONGER TONGUE for 2X3 FRAMES		DESCRIPTION		
	TA0059	71	131	3" X 3" X 60" tongue configured for trailer without brakes.
	TA0060	543	604	3" X 3" X 60" tongue configured for disc style brakes.
	TA0061	131	191	3" X 3" X 84" tongue configured for trailer without brakes.
	TA0064	604	661	3" X 3" X 84" tongue configured for disc style brakes.

Boat Trailers

SWING TONGUE for 2X3 FRAMES				DESCRIPTION
TA0047	129	146	3" X 3" X 43"	swing tongue configured for trailers without brakes.
TA0046	541	576	3" X 3" X 43"	swing tongue configured for trailers with disc style brakes.
TA0049	136	161	3" X 3" X 55"	swing tongue configured for trailers without brakes.
TA0048	567	587	3" X 3" X 55"	swing tongue configured for disc style brakes.
LONGER TONGUE for 2X4 FRAMES				
TA0065	84	141	3" X 5" X 55"	tongue configured for trailer without actuator/housing.
TA0066	84	141	3" X 5" X 55"	tongue configured for trailer without brakes.
TA0067	347	386	3" X 5" X 55"	tongue configured for disc style brakes.
TA0068	484	544	3" X 5" X 55"	tongue configured for drum style brakes.
TA0069	134	194	3" X 5" X 65"	tongue configured for trailer without actuator/housing.
TA0070	134	194	3" X 5" X 65"	tongue configured for trailer without brakes.
TA0071	366	404	3" X 5" X 65"	tongue configured for disc style brakes.
TA0072	534	591	3" X 5" X 65"	tongue configured for drum style brakes.
TA0074	210	267	3" X 5" X 78"	tongue configured for trailer without actuator/housing.
TA0073	210	267	3" X 5" X 78"	tongue configured for trailer without brakes.
TA0075	663	720	3" X 5" X 78"	tongue configured for disc style brakes.
TA0076	591	650	3" X 5" X 78"	tongue configured for drum style brakes.
SWING TONGUE for 2X4 FRAMES				
TA0050	173	230	3" X 5" X 55"	swing tongue configured for trailer without actuator/housing.
TA0041	173	230	3" X 5" X 55"	swing tongue configured for trailer without brakes.
TA0040	450	523	3" X 5" X 55"	swing tongue configured for disc style brakes.
TA0051	576	631	3" X 5" X 55"	swing tongue configured for drum style brakes.
TA0052	220	279	3" X 5" X 65"	swing tongue configured for trailer without actuator/housing.
TA0043	220	279	3" X 5" X 65"	swing tongue configured for trailer without brakes.
TA0042	467	541	3" X 5" X 65"	swing tongue configured for disc style brakes.
TA0053	623	683	3" X 5" X 65"	swing tongue configured for drum style brakes.
TA0054	310	369	3" X 5" X 78"	swing tongue configured for trailer without actuator/housing.
TA0045	310	369	3" X 5" X 78"	swing tongue configured for trailer without brakes.
TA0044	781	844	3" X 5" X 78"	swing tongue configured for disc style brakes.
TA0055	709	766	3" X 5" X 78"	swing tongue configured for drum style brakes.
REPLACEMENT TONGUE KITS				
67982-__	140	221	Tongue weldment 63" for UFP 2X5 trailer.	
TA0079-__	221	304	Tongue assembly 63" for UFP 2X5 frame.	
TA0077-__	274	357	Tongue weldment 87" for UFP 2X5 trailer.	
67979-__	189	230	Tongue weldment 81" for UFP 3X5 trailer.	
TA0080-__	234	277	Tongue assembly 81" for UFP 3X5 frame.	
TA0129-__	229	296	Tongue assembly 81" for 8400# UFP 3X5 frame.	

Boat Trailers

LONGER TONGUE with LED Lights							
	TA0108	164	219	3" X 3" X 84" tongue configured for trailer without brakes.			
	TA0109	613	666	3" X 3" X 84" tongue configured for disc style brakes.			
	TA0110	270	319	3" X 5" X 78" tongue configured for trailer without actuator/housing.			
	TA0111	246	296	3" X 5" X 78" tongue configured for trailer without brakes.			
	TA0112	669	721	3" X 5" X 78" tongue configured for disc style brakes.			
SWING TONGUE with LED Lights							
	TA0113	331	389	3" X 5" X 78" swing tongue configured for trailer without actuator/housing.			
	TA0114	331	389	3" X 5" X 78" swing tongue configured for trailer without brakes.			
	TA0115	651	720	3" X 5" X 78" swing tongue configured for disc style brakes.			
SPARE TIRES - STEEL RIMS				Tire Size	Rim Finish	Tire MFG	Bolt Pattern
	4300284	104		18.5 X 8.5 x 8-C	Texas Silver	Carlisle	5 on 4 1/2
	4300285		113	18.5 X 8.5 x 8-C	Galvanized	Carlisle	5 on 4 1/2
	4300286	143		20.5 X 8 X 10-D	Texas Silver	Carlisle	5 on 4 1/2
	4300287		149	20.5 X 8 X 10-D	Galvanized	Carlisle	5 on 4 1/2
	4300288	151		20.5 X 8 X 10-E	Texas Silver	Carlisle	5 on 4 1/2
	4300289		160	20.5 X 8 X 10-E	Galvanized	Carlisle	5 on 4 1/2
	4300290	84		4.80X12-B	Texas Silver	Carlisle	5 on 4 1/2
	4300291		93	4.80X12-B	Galvanized	Carlisle	5 on 4 1/2
	4300292	101		5.30X12-C	Texas Silver	Carlisle	5 on 4 1/2
	4300293		106	5.30X12-C	Galvanized	Carlisle	5 on 4 1/2
	4300294	161		ST175/80R13-C	Texas Silver	Carlisle	5 on 4 1/2
	4300295		171	ST175/80R13-C	Galvanized	Carlisle	5 on 4 1/2
	4300300	171		ST185/80R13-C	Texas Silver	Carlisle	5 on 4 1/2
	4300301		181	ST185/80R13-C	Galvanized	Carlisle	5 on 4 1/2
	4300307	197		ST215/75R14-C	Texas Silver	Carlisle	5 on 4 1/2
	4300308		209	ST215/75R14-C	Galvanized	Carlisle	5 on 4 1/2
	4300314	267		ST205/75R15-D	Texas Silver	Carlisle	6 on 5 1/2
	4300315		280	ST205/75R15-D	Galvanized	Carlisle	6 on 5 1/2
	4300317	286		ST225/75R15-D	Texas Silver	Carlisle	6 on 5 1/2
	4300318		301	ST225/75R15-D	Galvanized	Carlisle	6 on 5 1/2

Boat Trailers

ALUMINUM TIRE & RIM OPTIONS		(OWL = Outlined White Letters)					
4300297	331	ST175/80R13C	Aluminum	Carlisle	5 on 4 1/2		
4300303	343	ST185/80R13C	Aluminum	Carlisle	5 on 4 1/2		
4300326	369	ST215/75R14C	Aluminum	Carlisle	5 on 4 1/2		
4300310	413	ST215/75R14C OWL	Aluminum	Carlisle	5 on 4 1/2		
4300316	439	ST205/75R15D	Aluminum	Carlisle	6 on 5 1/2		
4300319	457	ST225/75R15D	Aluminum	Carlisle	6 on 5 1/2		
4300322	561	LT235/85R16E	Aluminum	Carlisle	8 on 6 1/2		
TIRE/CHROME RIM							
4300296	214	ST175/80R13C	Chrome	Carlisle	5 on 4 1/2		
4300302	224	ST185/80R13C	Chrome	Carlisle	5 on 4 1/2		
4300309	297	ST215/75R14C OWL	Chrome	Carlisle	5 on 4 1/2		
LUG NUT BAG							
68038	14	Chrome lug nuts used for aluminum and chrome rims, quantity of 5					
68039	14	Chrome lug nuts used for aluminum and chrome rims, quantity of 6					
68043	21	Chrome lug nuts used for aluminum and chrome rims, quantity of 8					
TIRE/RIM / LUG NUT BUNDLE		Tire Size	Rim Finish	Tire MFG	Tire Number	Lug Nut Bag / # of Lug Nuts	
68404	346	ST175/80R13C	Aluminum	Carlisle	4300297	68038	5
68405	357	ST185/80R13C	Aluminum	Carlisle	4300303	68039	6
68263	427	ST215/75R14C OWL	Aluminum	Carlisle	4300310	68038	5
68520	453	ST205/75R15D	Aluminum	Carlisle	4300316	68039	6
68041	471	ST225/75R15D	Aluminum	Carlisle	4300319	68039	6
68042	581	LT235/85R16E	Aluminum	Carlisle	4300322	68043	8
68424	229	ST175/80R13C	Chrome	Carlisle	4300296	68038	5
68422	240	ST185/80R13C	Chrome	Carlisle	4300302	68038	5
69390	311	ST215/75R14C OWL	Chrome	Carlisle	4300309	68038	5

**PRICES, MODELS AND SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE
AKER OUTDDOR PRODUCTS**